

FIG. 3
(Prior Art)




FIG. 1
(Prior Art)

FIG. 2

FIG. 3
(Prior Art)





FIG. 4

	SHORT TONS	BRUTUS	SOFT TLP
PROCESS MODULE	4150	4150	
QUARTER MODULE	3000	3000	
POWER MODULE	2870	2870	
DRILLING MODULE	4500	4500	
WELLBAY MODULE	7700	7700	
EXPORT RISERS	300	750	
SUBSEA RISERS	600	1500	
INTERCONNECTS	270	270	
FLARE BOOM	150	150	
BALLAST	4000	4000	
TOTAL PAYLOAD	27540	28890	

FIG. 12



4/6




FIG. 8

FIG. 9

FIG. 10




FIG. 11

400663762 - 050702

DOF	MEAN	RMS	MAX	MIN
WAVE HEIGHT (FT)	0.00	9.97	37.97	-37.97
OFFSET (FT)	223.9	16.3	276.5	171.3
HEAVE (FT)	-3.03	0.75	-0.25	-5.82
PITCH (DEG)	-0.18	0.26	0.79	-1.15
YAW (DEG)	-7.34	0.77	-5.12	-9.53
BOT. TENS. (KIPS)	2087	428	4013	161
TOP. TENS. (KIPS)	3040	371	4709	1370

FIG. 13

6/6




FIG. 14